

Do it right. Get **DONE**

BY



AUSTRALIAN WOOD INDUSTRIES.

DONE Factory Pre-oiled Advantage:

- ✓ 360° protection
- ✓ Minimal moisture absorption
- ✓ Reduces warping, cupping or splitting
- ✓ Reduces Tannin Bleed
- ✓ Saves time on-site
- ✓ Simply clean & coat

*For longer lasting timber protection, pre-oiled timbers need to be top coated within 12 weeks of installation.

Available in Decking, Cladding & Screening

**DONE
DECK**

**DONE
CLAD**

**DONE
SCREEN**

“When you want
the job **DONE**
right, use the
DONE Range from
AWI...”



Do it right. Get **DONE**

BY



AUSTRALIAN WOOD INDUSTRIES.

Moisture leads to cracking, splitting & cupping.

Exposed timber decking without any protective coating increases the rate of moisture absorption and in turn leads to cracking, splitting & warping.

Majority of timber left unprotected.

Timber tends to be coated only on one side, especially timber decking. However this results in moisture being readily absorbed from the bottom. Decks built closer to the ground also have reduced ventilation so are even more susceptible to deteriorating quickly.

Prep time can impact labour and material costs.

Prepping timber onsite relies on external influences such as labour efficiency, weather conditions etc. which can result in delayed installation and impact negatively on labour and material costs.

Protective coating reduces moisture transfer.

Our 360 degree protective coating resists moisture much more effectively and therefore deters expansion, contracting, checking & loss of colour.

Offers all round protection.

A coat of oil is applied to all surfaces, which not only helps protect the bottom and sides but also means the timber is better protected until top coats are applied. *End grains should also always be sealed.

Less prep time.

Pre-oiled timber removes the hassle of oiling timber on site. Less prep time will help you get the job **DONE** faster and save money on labour and material costs. It also means that the timber will be stored safely and protected from the elements until you are ready for delivery and installation.



Do it right. Get **DONE**

BY



AUSTRALIAN WOOD INDUSTRIES.

“**DONE** are the days of cupping, warping and splintering of timber...”



We've **DONE** the first step for you.

For lasting protection of your pre-oiled timber:

Clean

- Ensure surface is clean
- We recommend thoroughly scrubbing with Intergrain UltraPrep Timber Cleaner

Coat

- Once dry, apply 2 coats of your chosen oil based or waterbased finish. We recommend Intergrain Universal Timber Oil for longer lasting protection


Maintenance

- Conduct regular maintenance inspections to ensure your coating is still repelling water and the finish is in sound condition
- If maintenance is required, thoroughly scrub with Intergrain UltraPrep Timber Cleaner and apply a fresh coat of your chosen finish



Installation Guides Available

Scan Below or Visit
australianwood.com.au/installGuides.php



AUSTRALIAN WOOD INDUSTRIES.

1300 333 294

WWW.AUSTRALIANWOOD.COM.AU

**DONE
DECK**

**DONE
CLAD**

**DONE
SCREEN**

**AWI
MOULDS**

**AWI
SELECT**